

---

Printed by EAST

---

**UserID:** MChorbaji

**Computer:** WS12206

**Date:** 01/05/2001

**Time:** 13:23

|    | Type | L # | Hits       | Search Text  |
|----|------|-----|------------|--|
| 1  | IS&R | L23 | 736        | (( "422/24" ) or ( "250/455.11" )).CCLS.   |
| 2  | BRS  | L35 | 14467<br>7 | uv or ultraviolet or ultra adj violet  |
| 3  | BRS  | L37 | 6565       | contact adj lens\$   |
| 4  | BRS  | L39 | 5805       | DECONTAMINATE OR DECONTAMINATED OR DECONTAMINATION<br>or decontaminating   |
| 5  | BRS  | L41 | 3899       | SANITIZATION OR SANITIZE OR SANITIZED or<br>sanitizing   |
| 6  | BRS  | L45 | 56901      | STERILIZING OR STERILIZED OR STERILIZATION or<br>sterilize   |
| 7  | BRS  | L47 | 9559       | DISINFECTED OR DISINFECTION OR DISINFECTING or<br>disinfect  |
| 8  | BRS  | L49 | 69820      | 47 or 45 or 41 or 39   |
| 9  | BRS  | L51 | 11831      | 49 and 35  |
| 10 | BRS  | L53 | 481        | 51 and 37  |
| 11 | BRS  | L55 | 11         | 53 and 23  |
| 12 | BRS  | L57 | 29         | sterility adj assurance adj level  |
| 13 | BRS  | L59 | 2          | 57 and 53  |
| 14 | BRS  | L63 | 22         | B. adj sterothermophilis or Bacillus adj<br>sterothermophilis or B. adj sterothermophilus or<br>Bacillus adj sterothermophilus |
| 15 | BRS  | L61 | 160        | D-value  |
| 16 | BRS  | L67 | 56         | 61 and 49  |
| 17 | BRS  | L69 | 21         | 67 and 37  |
| 18 | BRS  | L71 | 21         | 69 and 61  |
| 19 | BRS  | L75 | 4          | 49 and 63  |

---

**Printed by EAST**

---

**UserID:** MChorbaji

**Computer:** WS12206

**Date:** 01/05/2001

**Time:** 13:30

|    | Type | L # | Hits       | Search Text  |
|----|------|-----|------------|--|
| 1  | IS&R | L23 | 736        | (( "422/24" ) or ( "250/455.11" )).CCLS.   |
| 2  | BRS  | L35 | 14467<br>7 | uv or ultraviolet or ultra adj violet  |
| 3  | BRS  | L37 | 6565       | contact adj lens\$   |
| 4  | BRS  | L39 | 5805       | DECONTAMINATE OR DECONTAMINATED OR DECONTAMINATION or decontaminating  |
| 5  | BRS  | L41 | 3899       | SANITIZATION OR SANITIZE OR SANITIZED or sanitizing  |
| 6  | BRS  | L45 | 56901      | STERILIZING OR STERILIZED OR STERILIZATION or sterilize  |
| 7  | BRS  | L47 | 9559       | DISINFECTED OR DISINFECTION OR DISINFECTING or disinfect   |
| 8  | BRS  | L49 | 69820      | 47 or 45 or 41 or 39   |
| 9  | BRS  | L51 | 11831      | 49 and 35  |
| 10 | BRS  | L53 | 481        | 51 and 37  |
| 11 | BRS  | L55 | 11         | 53 and 23  |
| 12 | BRS  | L57 | 29         | sterility adj assurance adj level  |
| 13 | BRS  | L59 | 2          | 57 and 53  |
| 14 | BRS  | L63 | 22         | B. adj sterothermophilis or Bacillus adj sterothermophilis or B. adj sterothermophilus or Bacillus adj sterothermophilus |
| 15 | BRS  | L61 | 160        | D-value  |
| 16 | BRS  | L67 | 56         | 61 and 49  |
| 17 | BRS  | L69 | 21         | 67 and 37  |
| 18 | BRS  | L71 | 21         | 69 and 61  |
| 19 | BRS  | L75 | 4          | 49 and 63  |
| 20 | BRS  | L77 | 6558       | transmissivity   |
| 21 | BRS  | L79 | 5          | 53 and 77  |
| 22 | BRS  | L81 | 3          | contact adj lens adj blocks  |